

## Miernik baterii Konnwei KW218

---



**Marka:**

Konnwei

**Producent:**

LECHPOL ELECTRONICS

LESZEK Spółka

komandytowa

**Kod produktu:**

KW218

**Kod EAN:**

5901890106566

**Opis**

---

# KW218 Car Battery Tester



		
6V Motorcycle battery	12V Car battery	Truck Battery
		
Battery Test	Cranking test	Charging Test
		
Review	multi language	More



# Battery Test / Cranking Test / Charging Test

Three battery test modes to accurately test the battery health in different states of the car





# In/ Out Of Vehicle Tests

Prevent Battery failure check battery status anytime & anywhere,  
the perfect backup tool in your repair box.



**Out - Of - Vehicle**



**In - Vehicle**

# Detect 6V motorcycles, 12V cars, etc.

Quickly and accurately check battery health



**12V**

Car battery



**6V**  
**12V**

Motorcycle battery



# Multi-language selection

Please contact us if you want other language.



Chinese



English



German



Polish



Russian



Italian



French



Spanish



More

More





# Charging System Test

Lets you know the output voltage of the generator,the rectifier diode and charging current. Moreover,it analyze the state of the charging system and battery through the above data, provide you with an accurate charging system test.



# Cranking Test

Analyze the actual cranking voltage and the cranking time to help you quickly figure out the whole state of the cranking system.





# MULTI-FUNCTION

Battery Test	
STD: 400A	CCA
SOH: 100%	431A
SOC: 66%	12.33V
R : 6.77 mΩ	
GOOD-RECHARGE	

**Battery Test**

Charging Test	
Loaded	12.24V
Unloaded	12.27V
Ripple	0mV
NO-OUTPUT	

**Charging Test**

Cranking Test	
Please turn off the engine	

**Cranking Test**



# Quick check

healthy state of the battery itself, and common fault of the vehicle starting system and charging system, which can help maintenance personnel to find the problem quickly and accurately, thus to achieve quick vehicle repair.



# Compatible with 6V-12V vehicles & motorcycle & Truck & steamship etc

including ordinary lead acid battery , AGM flat plate battery,  
ACM spatial battery, and Gel battery etc.

Test all automotive cracking lead acid battery.

**6V**



**12V**





Battery selection	
6V battery	2/2
12V battery	

Battery Test	
1.	Check surface charge, Turn lights on.
2.	Take headlights on about 10 seconds.
3.	Turn lights off.

Select Standard	
1.CCA	1/9
2.IEC	
3.EN	
4.DIN	
5.CA	

Battery Location	
1.In-Vehicle	1/2
2.Out-Of-Vehicle	



Select Type	
1.Regular Flooded	1/5
2.AGM Flat Plate	
3.AGM Spiral	
4.GEL	
5.EFB	

Battery Test	
STD: 400A	CCA
SOH: 100%	431A
SOC: 66%	12.33V
R : 6.77 mΩ	
GOOD-RECHARGE	

Set Battery Rating	
YB2.5L-BS(iGEL)	YB3L-BS(iGEL)
YTX4L-BS(iGEL)	YTZ5S(iGEL)
YTX5L-BS(iGEL)	YB5L-BS(iGEL)
YB6.5L-BS(iGEL)	UTX7A-BS(iGEL)
YB7BL-BS(iGEL)	YB9-BS(iGEL)
YTX9-BS(iGEL)	YTX12L-BS(iGEL)
YTX4L-BS(DS)	YB5L-BS(DS)

Charging Test	
Loaded	12.24V
Unloaded	12.27V
Ripple	0mV
NO-OUTPUT	

# Size Details



Product model	KW218
Item name	Car battery tester is able to effectively analyze and read important car data such as voltage, internal resistance, cold cranking system, battery health and charge status.
Screen	2.4 inches colorful screen
Language	Chinese, English, German, Russian, Polish, Italian, French, Spanish. Please contact us if you want other language.

# KW218

## Package Contents



Box



KW218



User Manual

## Opis techniczny

Zakres mierzonego napięcia: 6 – 12 V

Mierzone parametry: SOC, SOH, rezystancja

Zasilanie: z podłączonego akumulatora

Zakres pomiarów: 100 – 2000 CCA

Wyświetlacz: LCD

Wymiary: 134 x 80 x 18 mm

Temperatura pracy: 0°C~50°C

Język interfejsu: angielski, niemiecki, francuski, hiszpański, włoski, polski, rosyjski

## Specyfikacja

Dane logistyczne	
Gabaryt	W001G001-A-3



<b>Jednostka miary</b>	<b>Ilość</b>	<b>Waga netto</b>	<b>Waga brutto</b>	<b>Szer. x Dł. x Wys.</b>
szt.	1 szt.	0.193 Kg	0.241 Kg	10 cm x 17 cm x 5 cm
kart.	80 szt.	19.3 Kg	20 Kg	41 cm x 51.5 cm x 35 cm